

staircase lighting time switch 3-wire circuit I-keying, no resetting for 230 V contact 2000 w



Figure similar

Model	
Product brand name	SETRON
Product designation	Timers
Design of the product	Staircase lighting timer
General technical data	
Switch-off prewarning	without
Manner of function / of the staircase lighting switch	manual
Short-circuit current rating	700 A
Voltage	
Staircase lighting timing switch reset function	without
Supply voltage	
Supply voltage / at AC	
• minimum	230 V
• maximum	230 V
Type of voltage / of the supply voltage	AC
Switching capacity	

Switching capacity apparent power	
<ul style="list-style-type: none"> • for fluorescent lamp load with DUO circuit • for uncompensated fluorescent lamp load 	1 160 V·A
Switching capacity current	
<ul style="list-style-type: none"> • at cos phi 0.6 • Rated value 	16 A
Switching capacity active power / with filament lamp load	2 000 W

Dissipation	
Power loss [W] / for rated value of the current / at AC / in hot operating state / per pole	5 W

Electricity	
Consumed current / of the light source	50 mA
Connection method for staircase lighting timer switch	3-wire circuit

Control current	
Type of voltage	
<ul style="list-style-type: none"> • of control voltage_1 	AC
Control voltage	
<ul style="list-style-type: none"> • _1 / initial value • _1 / Full-scale value 	230 V
Control voltage frequency	
<ul style="list-style-type: none"> • _1 / initial value • _1 / Full-scale value 	50 Hz

Adjustable parameters	
Adjustable OFF-delay time	
<ul style="list-style-type: none"> • initial value • Full-scale value 	0.5 min
	10 min

Number	
Number of NC contacts	0
Number of NO contacts	1
Number of CO contacts	0

Mechanical Design	
Height	90 mm
Width	18 mm
Depth	64 mm
Installation depth	64 mm
Number of width units	1
Mounting type	DIN-busbar
Net weight	80 g

Certificates	
---------------------	--

Reference code

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

K

K

Declaration of Conformity

other



EG-Konf.

[Environmental Confirmations](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7LF6110>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7LF6110>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LF6110

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

